Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2446	(dynamic\$4 or variable) with (html or web) with (form\$1 or field\$1 or input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:46
L4	405	L3 and (form\$1 with fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:46
L5	137	4 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:47
L6	21	(US-20040205357-\$ or US-20040078756-\$ or US-20040205533-\$ or US-20030023641-\$ or US-20050216356-\$ or US-20050183003-\$ or US-20040030991-\$ or US-20040030991-\$ or US-20030169292-\$).did. or (US-5761683-\$ or US-6192382-\$ or US-6460042-\$ or US-5404294-\$ or US-4503499-\$ or US-6775670-\$ or US-6247047-\$ or US-662340-\$ or US-6507865-\$ or US-6473892-\$ or US-658662-\$ or US-6484263-\$ or US-7035907-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/05/26 11:47
L7	7	6 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:48
L8	6	7 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:27
L9	3178	(715/513,507,505).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:16

Page 1

L10	6448	(709/203).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:16
L11	0	(713/201).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:26
L12	0	(715/560).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:26
L13	5810	(707/10).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:26
L14	354	(715/760).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:26
L15	14521	9 10 13 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:27
L16	10934	15 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:27
L17	595	16 and (form\$1 near3 fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:27
L18	12	17 and (pre adj (populat\$3 or fetch\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:27

S1	94	("4897782" "4975830" "5247638" "5444829" "5479210" "5600770" "5893139" "5937191" "6286135" "6327598" "6085234" "5313612" "5835942" "6038659" "6122629" "5297265" "5307506" "5355453" "5542059" "5557763" "5574912" "5623700" "5659782" "5682527" "5754888" "5784630" "5802366" "5809543" "5809527" "5826021" "5832235" "5887183" "5931918" "5946690" "5944816" "5968160" "5987254" "5987593" "6047356" "6154828" "6167446" "6230254" "4598357" "4962451" "4982322" "5226169" "5235690" H001291 "5313613" "5329630").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:22
S2	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 13:46
S3	836644	form\$1 with process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:16
S4	161302	form\$1 adj5 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:16
S5	276631	form\$1 near3 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:16
S6	18256	S5 and (field\$1 and predetermin\$3 and overla\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:17
S7	1352	S5 and (field\$1 and predetermin\$3 and overla\$4 and server\$1 and client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:17

S8	1004	S5 and (field\$1 and predetermin\$3 and overla\$4 and server\$1 and client\$1 and (web or html))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:18
59	619	S8 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:41
S10	2	S9 and canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:18
S11	2286	(715/513).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:19
S12	246	(715/505).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S13	137	(715/506).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S14	321	(715/507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S15	108	(715/508).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S16	2904	S11 S12 S13 S14 S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:20
S17	8	S9 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:25

S18	659	S12 S13 S14 S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:25
S19	523	S18 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:37
S20	2	S9 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:26
S21	1140	S9 or S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:26
S22	137	S19 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 08:37
S23	29	S19 and ((fill\$3 or populat\$3) near5 templat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:19
S24	2	("6084585").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:20
S25	2	("6507854").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:21
S26	2	("6212552").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:22
S27	2	("5030810").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:22

S28	2	("5619708").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:23
S29	2	("5557723").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:24
S30	2	("5544285").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:24
S31	2	("6141659").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:26
S32	2	("6418400").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:26
S33	2	"20050041266"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:27
S34	2	"20010050681"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:28
S35	4	"20030009250"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:28
S36	0	"200210065578"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:29
S37	2	"20020065578"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:31

S38	2	("5765142").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:32
S39	2	("5056029").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 09:32
S40	223	(715/705).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 10:59
S41	161	S40 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:00
S42	26	S41 and URL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:00
S43	19	S42 and (external\$2 or remot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:01
S44	9	S42 and ((external\$2 or remot\$3) same (file\$1 or content\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:02
S45	0	S44 and (place adj hold\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:03
S46	3	S44 and (templat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:29
S47	2	("4636174").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:30

S48	2	("4759717").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:33
S49	3	("4004354").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:33
S50	18	("4133034" "4247106" "4348744" "4365297").PN. OR ("4636174"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/24 11:33
S51	27	("4004354").URPN.	USPAT	OR	OFF	2005/10/24 11:34
S52	0	S51 and URL\$1	USPAT	OR	OFF	2005/10/24 12:31
S53	2	("6084585").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:32
S54	164034	(field\$1 with form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:34
S55	288	(field\$1 with (web near form\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:34
S56	46	(populat\$3 or fill\$3) with ((field\$1 with (web near form\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:35
S57	30	S56 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:02
S58	5	S57 and ((external\$2 or network\$3) near (data\$1 or file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:37

S59	8	S57 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:41
S60	11	S57 and histor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:02
S61	237186	(populat\$3 or (fill\$3 adj in) or (fill\$3 adj out) or complet\$3) with (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:18
S62	2645	(populat\$3 or (fill\$3 adj in) or (fill\$3 adj out) or complet\$3) with ((web or html) near5 form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:18
S63	82	((populat\$3 or (fill\$3 adj in) or (fill\$3 adj out) or complet\$3) with ((web or html) near5 form\$1)) with (url\$1 or external near5 (file\$1 or reference\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:26
S64	56	S63 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	· OFF	2005/10/31 15:26
S65	18	(US-20010050681-\$ or US-20020023108-\$ or US-20020059425-\$ or US-20020103826-\$ or US-20020111961-\$).did. or (US-5784562-\$ or US-5835712-\$ or US-5890175-\$ or US-6260039-\$ or US-6456303-\$ or US-6456303-\$ or US-6456303-\$ or US-6662340-\$ or US-6732331-\$ or US-6760748-\$ or US-6879965-\$ or US-6886136-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/11/01 08:01
S66	16	S65 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:03

			I	r		· · · · · · · · · · · · · · · · · · ·
S67	10	S65 and templat\$3 and populat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:04
S68	8	S65 and templat\$3 and populat\$3 and (imag\$3 or photograph\$1 or photo\$1 or picture\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:20
S69	0	("2002/0103826").URPN.	USPAT	OR	OFF	2005/11/01 08:18
S70	50295	(complet\$3 or populat\$3) near (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:40
S71	219	(complet\$3 or populat\$3) near ((web or html) near form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:22
S72	70	S71 and ((data\$1 or content\$1 or link\$3) near (file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:23
S73	78	S71 and ((data\$1 or content\$1 or link\$3) near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:28
S74	28	S71 and ((URL\$1 or link\$1 or hyperlink\$3) near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:29
S75	87	S71 and ((data\$1 or content\$1 or link\$3 or configurat\$3 or profil\$3) near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:29
S76	27	S75 and ((URL\$1 or link\$1 or hyperlink\$3) near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:29

S77	2840	S70 and ((data\$1 or content\$1 or link\$3 or configurat\$3 or profil\$3) near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:30
S78	87	S71 and ((data\$1 or content\$1 or link\$3 or configurat\$3 or profil\$3) near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:37
S79	60	S78 and ((fill\$3 near (in\$1 or out\$1)) or populat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:38
S80	14	(url\$1 or hyperlink\$3) near (complet\$3 or populat\$3 or (fill\$3 near (in or out))) near (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:44
S81	69	(url\$1 or hyperlink\$3) near5 (complet\$3 or populat\$3 or (fill\$3 near (in or out))) near (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:02
S82	41	(url\$1 or hyperlink\$3) near3 (complet\$3 or populat\$3 or (fill\$3 near (in or out))) near (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:44
S83	14	S80 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:44
S84	45	S81 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:01
S85	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:59

						
S86	57	("5416508" "5418576" "5438355" "5570295" "5572643" "5625781" "5640193" "5694163" "5708845" "5761606" "5774664").PN. OR ("5929849"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/01 09:01
S87	57	S86 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S88	50	S87 and form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:01
S89	1	S87 and ((complet\$3 or populat\$3 or (fill\$3 near (in or out))) near (form\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:02
S90	2	S87 and ((complet\$3 or populat\$3 or (fill\$3 near (in or out))) near5 (form\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S91	247	(715/505).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S92	139	(715/506).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S93	323	(715/507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S94	109	(715/508).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04

					, -	
S95	497	S92 S92 S93 S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S96	412	S95 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S97	163	S96 and ((complet\$3 or populat\$3 or (fill\$3 near (in or out))) near5 (form\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:04
S98	105151	(form\$1 same field\$1) and (overlay\$3 or fill\$3 or (fill\$3 near out\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:36
S99	17390	(form\$1 same field\$1) same (overlay\$3 or fill\$3 or (fill\$3 near out\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:36
S10 0	18659	(form\$1 same field\$1) same ((overlay\$3 or fill\$3 or (fill\$3 near out\$1)) url\$1 or uri\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:36
S10 1	181	(form\$1 same field\$1) near ((overlay\$3 or fill\$3 or (fill\$3 near out\$1)) url\$1 or uri\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:38
S10 2	0	(form\$1 same field\$1) near ((overlay\$3 or fill\$3 or (fill\$3 near out\$1)) same (url\$1 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:38
S10 3	6	(form\$1 same field\$1) near5 ((overlay\$3 or fill\$3 or (fill\$3 near out\$1)) same (url\$1 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:44
S10 4	31043	(form\$1 or field\$1) near (fill\$3 or overlay\$3 or (fill\$3 near out\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:45

S10 5	180	(web near (form\$1 or field\$1)) near (fill\$3 or overlay\$3 or (fill\$3 near out\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:47
S10 6	0	((web near (form\$1 or field\$1)) near (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) with (external\$2 near (file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:48
S10 7	0	((web near (form\$1 or field\$1)) near (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) same (external\$2 near (file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:48
S10 8	0	((web near (form\$1 or field\$1)) near5 (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) same (external\$2 near (file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:48
S10 9	0	((web near (form\$1 or field\$1)) with (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) same (external\$2 near (file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:49
S11 0	0	((web near (form\$1 or field\$1)) with (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) same (external\$2 near5 (file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:49
S11 1	81	((web near (form\$1 or field\$1)) with (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) same ((file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:50
S11 2	24	((web near (form\$1 or field\$1)) with (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) with ((file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:50
S11 3	0	((web near (form\$1 or field\$1)) with (fill\$3 or overlay\$3 or (fill\$3 near out\$1))) near ((file\$1 or url\$1 or referenc\$3 or uri\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:50
S11 4	106680	form\$1 near process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:03

	 		_	·	· · · · · ·	
S11 5	831	(form\$1 near process\$3) near (device or apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:10
S11 6	75	S115 and (read\$3 near data\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 10:05
S11 7	60	(form\$1 near field\$1) near (url\$1 or referenc\$3 or uri\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:13
S11 8	49	S117 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14
S11 9	73	(form\$1 near field\$1) near (url\$1 or referenc\$3 or uri\$1 or sql or quer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14
S12 0	13	(form\$1 near field\$1) near (sql or quer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14
S12 1	6	S120 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:14
S12 2	844202	form\$1 with process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:59
S12 3	195794	form\$1 near2 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:59
S12 4	1075	form\$1 near3 field\$1 near2 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:59

S12 5	912	form\$1 near3 field\$1 near2 (populat\$3 or fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:00
S12 6	118	web with (form\$1 near3 field\$1 near2 (populat\$3 or fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:01
S12 7	38	(web with (form\$1 near3 field\$1 near2 (populat\$3 or fill\$3))) same (list\$1 or database\$1 or lexicon\$1 or file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:03
S12 8	23	((web with (form\$1 near3 field\$1 near2 (populat\$3 or fill\$3))) same (list\$1 or database\$1 or lexicon\$1 or file\$1)) and (record\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:06
S12 9	3	((web with (form\$1 near3 field\$1 near2 (populat\$3 or fill\$3))) same (list\$1 or database\$1 or lexicon\$1 or file\$1)) and (record\$1 near3 url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:13
S13 0	1517	(execut\$3 or retriev\$3 or request\$3 or fetch\$3) with (URL\$1) with (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:14
S13 1	720	(execut\$3 or retriev\$3 or request\$3 or fetch\$3) with ((URL\$1) near3 (form\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:16
S13 2	319	S131 and automat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:15
S13 3	0	((execut\$3 or retriev\$3 or request\$3 or fetch\$3) with ((URL\$1)) near3 (form\$1) same ((auto or automatic\$4) near5 (populat\$3 or fill\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:18
S13 4	2	((retriev\$3 or fetch\$3 or obtain\$3) with (content\$1)) near3 (url\$1 near form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:55

S13 5	19521	form\$1 with field\$1 with (content\$1 or imag\$3 or audio\$1 or video\$1 or picture\$1 or photograph\$1 or photo\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:56
S13 6	2250	form\$1 with field\$1 with (content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:56
S13 7	601	form\$1 near3 field\$1 near3 (content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:56
S13 8	21	(form\$1 near3 field\$1 near3 (content\$1)) with (web or html or xml or xhtml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:03
S13 9	16	S138 and (URL\$1 or URI\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:03
S14 0	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:06
S14 1	1727353	form\$1 same (process\$3 or fill\$3 or populat\$3 or pre-populat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:07
S14 2	299	(web near form\$1) near (process\$3 or fill\$3 or populat\$3 or pre-populat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:07
S14 3	234	S142 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:08
S14 4	175	S143 and (separat\$8 or external\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 12:09

5/26/06 12:28:00 PM C:\Documents and Settings\JBlackwell\My Documents\EAST\Workspaces\10614174.wsp

Page 17

S14 5	29334	(html or web or xml or xhtml) near form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:31
S14 6	1983	S145 and (form\$1 near (process\$3 or analy\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:24
S14 7	14	S145 and ((form\$1 near field\$1) near (process\$3 or analy\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:32
S14 8	6	S147 and (URL\$1 or URI\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:25
S14 9	444	S145 and ((detect\$3 or identify\$3 or recogniz\$3) near (URL\$1 or URI\$1 or (external near file\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:12
S15 0	0	S149 and ((form\$1 near field\$1) near (process\$3 or analy\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:33
S15 1	444	S145 and S149	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:34
S15 2	294	S151 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:48
S15 3	0	S152 and "form of html"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:39
S15 4	0	S152 and 'form of htm'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:39

S15 5	0	S152 and "form of html"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:40
S15 6	0	S152 and 'form of html'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:40
S15 7	0	S152 and (form adj of adj html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:40
S15 8	67	S152 and ((URL\$1 or URI\$1) near typ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/12/05 12:12
S15 9	0	S152 and ((URL\$1 or URI\$1) near (content near typ\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:12
S16 0	3	S145 and ((detect\$3 or identify\$3 or recogniz\$3 or determin\$3) with (URL\$1 or URI\$1 or (external near file\$1)) with (form\$1 adj field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:30
S16 1	6	S145 and ((detect\$3 or identify\$3 or recogniz\$3 or determin\$3) with ((form\$1 adj field\$1) with content\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:21
S16 2	6	S161 and (url\$1 or uri\$1 or link\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:28
S16 3	2	("6076734").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:29
S16 4	2	("5852434").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:29

S16 5	2	("5692073").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:30
S16 6	15	((identify\$3 or recogniz\$3 or determin\$3) with ((form\$1 adj field\$1)) with content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:38
S16 7	53	S152 and (off adj line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:48
S16 8	331	(715/507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 12:48
S16 9	272	S168 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19
S17 0	112	S169 and (form\$1 near (field\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:16
S17 1	4	S169 and (form\$1 near (field\$1 or input\$1) near file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19
S17 2	4	S171 not ("form of")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19
S17 3	4	S171 not ('form of')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19
S17 4	131	(form\$1 near (field\$1 or input\$1) near file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:19

S17 5	79	S174 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:36
S17 6	45	S175 and (imag\$3 or bitmap\$1 or photo\$1 or photograph\$1 or picture\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:34
S17 7	0	S175 and (URL\$1 near (imag\$3 or bitmap\$1 or photo\$1 or photograph\$1 or picture\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:32
S17 8	273	(recogniz\$3 near URL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:34
S17 9	0	(recogniz\$3 near URL\$1) with (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:35
S18 0	0	(identify\$3 near URL\$1) with (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:35
S18 1	0	(URL\$1 near content\$1) with (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:35
S18 2	109	(URL\$1) with (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:35
S18 3	71	(URL\$1) with (form\$1 adj field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 13:36
S18 4	34	S183 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:21

S18 5	1	(filename\$1 or (file adj name\$1)) near (form\$1 adj field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:18
S18 6	1	(filename\$1 or (file adj name\$1)) near3 (form\$1 adj field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:18
S18 7	8	(filename\$1 or (file adj name\$1)) with (form\$1 adj field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:19
S18 8	182	(filename\$1 or (file adj name\$1) or reference\$1) with (form\$1 adj field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:19
S18 9	18	(filename\$1 or (file adj name\$1) or reference\$1) near (form\$1 adj field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:21
S19 0	234	(form\$1 adj field\$1) near (process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:21
S19 1	197	S190 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:32
S19 2	1	("6185583").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:28
S19 3	17	("3974496" "5546574" "5704029" "5758126" "5920857").PN. OR ("6185583").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 14:31
S19 4	37872	(form or data or input\$1) near (check\$3 or validat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 14:31
S19 5	34	(web or html) near (form or data or input\$1) near (check\$3 or validat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 14:31

	 -		LIC DOD!	00	OFF	2005/12/05 14:22
S19 6	15	S195 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:32
S19 7	8	S196 and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:33
S19 8	596	form\$1 near validat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:33
S19 9	30	(US-20010050681-\$ or US-20020023108-\$ or US-20020059425-\$ or US-20020103826-\$ or US-20020111961-\$ or US-20020156846-\$ or US-20040030991-\$ or US-20040068693-\$ or US-20040078756-\$ or US-20040205357-\$ or US-20050216356-\$).did. or (US-5761683-\$ or US-5784562-\$ or US-5835712-\$ or US-5890175-\$ or US-5929849-\$ or US-6661694-\$ or US-6247029-\$ or US-6473892-\$ or US-6456303-\$ or US-6473892-\$ or US-6490601-\$ or US-6589290-\$ or US-6732331-\$ or US-6662340-\$ or US-6732331-\$ or US-6886136-\$). did.	US-PGPUB; USPAT	OR	OFF	2005/12/06 13:10
S20 0	5	S199 and (data adj items)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:11
S20 1	0	S199 and ((data adj items) same (graphic\$1 or audio\$1 or video\$1 or multimedia\$1 or multi-media\$1 or (multi adj media\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:11
S20 2	14	S199 and ((data\$1 or file\$1) same (graphic\$1 or audio\$1 or video\$1 or multimedia\$1 or multi-media\$1 or (multi adj media\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:12

S20 3	1	S199 and (((data\$1 or file\$1) near link\$3) same (graphic\$1 or audio\$1 or video\$1 or multimedia\$1 or multi-media\$1 or (multi adj media\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:13
S20 4	41046	(link\$3 or hyper-link\$3 or hyperlink\$3 or (hyper adj link\$3) or hotlink\$3 or hot-link\$3 or (hot adj link\$3)) near (form\$1 or field\$1 or input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:14
S20 5	6	S199 and ((link\$3 or hyper-link\$3 or hyperlink\$3 or (hyper adj link\$3) or hotlink\$3 or hot-link\$3 or (hot adj link\$3)) near (form\$1 or field\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:18
S20 6	1733	((file adj name\$1) or (path adj name\$1)) near (form\$1 or field\$1 or input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:20
S20 7	5	((file adj name\$1) or (path adj name\$1)) near ((html or web) near (form\$1 or field\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:38
S20 8	10838	(form\$1 or field\$1) near (file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:38
S20 9	308	((web or html) near (form\$1 or (form\$1 near field\$1))) near (file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:43
S21 0	101	S209 and (populat\$3 or fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:43
S21 1	6	S209 and (pre near (populat\$3 or fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:45
S21 2	25797	(url\$1 or uri\$1 or (file adj name\$1) or filename\$1 or file-name\$1 or path\$1 or pathname\$1 or (path adj name\$1)) near (field\$1 or input\$1 or blank\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:47

S21 3	2256	(url\$1 or uri\$1) near (field\$1 or input\$1 or blank\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:47
S21 4	2122	(url\$1) near (field\$1 or input\$1 or blank\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:47
S21 5	848	(url\$1) near (field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:48
S21 6	10	(url\$1) near (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:52
S21 7	0	(filename\$1 or (file near path\$1)) near (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:52
S21 8	0	(filename\$1 or (file near path\$1) or (path near name\$1)) near (form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:52
S21 9	24	(url\$1) near (form\$1 near input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:57
S22 0	1	(bookmark\$1) near (form\$1 near input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:58
S22 1	695	(bookmark\$1 near (file\$1 or list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:58
S22 2	35	(bookmark\$1 near (file\$1 or list\$1)) near5 (request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:59

S22 3	3	((bookmark\$1 near (file\$1 or list\$1)) near5 (request\$3)) same (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:02
S22 4	57	(overlay\$3 same (form\$1 near field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:07
S22 5	3813	(personal\$4 near (database\$1 or profile\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:07
S22 6	477	(personal\$4 near (database\$1 or profile\$1)) same (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:30
S22 7	0	(personal\$4 near (database\$1 or profile\$1)) same (form\$1) same ((auto or automatically) near fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:08
S22 8	27	(personal\$4 near (database\$1 or profile\$1)) same (form\$1) and ((auto or automatically) near fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:17
S22 9	23	S228 and (photo\$1 or photograph\$1 or imag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:20
S23 0	20	(process\$3 near uri\$1 near form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:24
S23 1	0	(process\$3 near url\$1 near form\$1) same (audio\$1 or video\$1 or pdf or postscript or gif or jpg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:25
S23 2	15	(process\$3 near url\$1 near form\$1) and (audio\$1 or video\$1 or pdf or postscript or gif or jpg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:25

S23 3	479	(personal\$5 near (database\$1 or profile\$1)) same (form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:30
S23 4	5	(personal\$5 near (database\$1 or profile\$1)) same (form\$1 near input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:31
S23 5	1783	(personaliz\$3 near5 (card\$1 or id\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:32
\$23 6	1441	(personaliz\$3 near3 (card\$1 or id\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:32
S23 7	70	(personaliz\$3 near3 (card\$1 or id\$1)) same web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:32
S23 8	12	(personaliz\$3 near3 (card\$1 or id\$1)) same web same photo\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:35
S23 9	204536	(form\$1 with link\$3 or hyperlink\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:36
S24 0	195060	(form\$1 with (link\$3 or hyperlink\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:36
S24 1	920	(form\$1 with (external\$2 near (link\$3 or hyperlink\$3 or reference\$1 or file\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:37
S24 2	16	(((web or html) near form\$1) with (external\$2 near (link\$3 or hyperlink\$3 or reference\$1 or file\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:38

			_			
S24 3	0	(((web or html) near field\$1) with (external\$2 near (link\$3 or hyperlink\$3 or reference\$1 or file\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:38
S24 4	0	(((web or html) near input\$4) with (external\$2 near (link\$3 or hyperlink\$3 or reference\$1 or file\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:39
S24 5	21	(((web or html) near5 form\$1) with (external\$2 near (link\$3 or hyperlink\$3 or reference\$1 or file\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:07
S24 6	736	((web or html) near5 (form\$1 near3 field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:08
S24 7	16	((web or html) near5 (form\$1 near3 field\$1)) near5 (content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:25
S24 8	9	((web or html) near5 (form\$1 near3 field\$1)) near5 (imag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:28
S24 9	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (photo\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:28
S25 0	1	((web or html) near5 (form\$1 near3 field\$1)) near5 (pdf\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:28
S25 1	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (gif)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 2	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (jpg or jpeg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29

S25 3	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (ps)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 4	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (audio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 5	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 6	0	((web or html) near5 (form\$1 near3 field\$1)) near5 (clip\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:29
S25 7	21	((web or html) near5 (form\$1 near3 field\$1)) with (imag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 16:30
S25 8	2	("5929849").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:05
S25 9	1	S258 and form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:07
S26 0	3	overlay\$3 near ((fillout or fill-out or (fill adj (out or in)) or fill-in or fillin or web or www or html) near form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:09
S26 1	34	(populat\$3) near ((fillout or fill-out or (fill adj (out or in)) or fill-in or fillin or web or www or html) near form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:13
\$26 2	59	(populat\$3) near ((fillout or fill-out or (fill adj (out or in)) or fill-in or fillin or web or www or html) near3 form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:15

S26 3	40	S262 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:02
S26 4	57063	((fillout or fill-out or (fill adj (out or in)) or fill-in or fillin or web or www or html) near3 form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:15
S26 5	820	S264 and (url\$1 near5 field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:16
S26 6	7	S264 and (url\$1 near5 field\$1 near list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:18
S26 7	2133	S264 and (url\$1 near3 (list\$3 or fil\$3 or bookmark\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:18
S26 8	629	S267 and ((recogniz\$3 or detect\$3 or identify\$3) near5 (url\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:20
S26 9	55	S267 and (((recogniz\$3 or detect\$3 or identify\$3) near5 (url\$1)) with (form\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:32
S27 0	495	S267 and (remote\$2 near3 access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:33
S27 1	79	S267 and ((remote\$2 near3 access\$3) near5 (list\$1 or file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:46
S27 2	0	sibersystems.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:48

S27 3	1592	(determin\$3 or deduc\$3) near3 (field\$1 near3 typ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:48
S27 4	20	(determin\$3 or deduc\$3) near3 (form\$1 near3 field\$1 near3 typ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:55
S27 5	2754	(file\$1 or url\$1) near upload\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:55
S27 6	77	(url\$1) near upload\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:55
S27 7	12	S276 and (form\$1 near3 field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:01
S27 8	112	url\$1 near3 (form\$1 near3 field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:01
S27 9	72	S278 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:26

			1	Γ		
S28 0	31	(US-20010050681-\$ or US-20020023108-\$ or US-20020059425-\$ or US-20020103826-\$ or US-20020111961-\$ or US-20020156846-\$ or US-20040030991-\$ or US-20040068693-\$ or US-20040078756-\$ or US-20040078756-\$ or US-20040205357-\$ or US-20050216356-\$).did. or (US-5761683-\$ or US-5784562-\$ or US-5835712-\$ or US-5890175-\$ or US-5929849-\$ or US-6061694-\$ or US-6247029-\$ or US-6260039-\$ or US-6456303-\$ or US-6473892-\$ or US-6490601-\$ or US-6589290-\$ or US-6732331-\$ or US-6760748-\$ or US-6879965-\$ or US-6886136-\$ or US-6658662-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/12/07 09:20
S28 1	4	S280 and (form\$1 with field\$1 with url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:24
S28 2	1	S280 and (form\$1 with field\$1 with value\$1 with url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:26
S28 3	58	(form\$1 with field\$1 with value\$1 with url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:26
S28 4	41	S283 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:52

Page 32 5/26/06 12:28:00 PM C:\Documents and Settings\JBlackwell\My Documents\EAST\Workspaces\10614174.wsp

			ue pesus	O.D.	055	2005/42/27 22 22
S28 5	32	(US-20010050681-\$ or US-20020023108-\$ or US-20020059425-\$ or US-20020103826-\$ or US-20020111961-\$ or US-20020156846-\$ or US-20040030991-\$ or US-20040068693-\$ or US-20040078756-\$ or US-20040078756-\$ or US-20040205357-\$ or US-20050216356-\$ or US-20050216356-\$ or US-20020120714-\$).did. or (US-5761683-\$ or US-5784562-\$ or US-5835712-\$ or US-5890175-\$ or US-5835712-\$ or US-6061694-\$ or US-6247029-\$ or US-6260039-\$ or US-6456303-\$ or US-6473892-\$ or US-6490601-\$ or US-6589290-\$ or US-6651217-\$ or US-6662340-\$ or US-6732331-\$ or US-6760748-\$ or US-6879965-\$ or US-6886136-\$ or US-6658662-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/12/07 09:38
S28 6	20	S285 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:38
S28 7	7	S285 and layout\$1 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:38
S28 8	6	S285 and document\$1 and layout\$1 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:51
S28 9	2961	field\$1 near3 data\$1 near3 file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:51
S29 0	0	form\$1 near 3field\$1 near3 data\$1 near3 (file\$1 or list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:52

S29 1	120	form\$1 near3 field\$1 near3 data\$1 near3 (file\$1 or list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:53
S29 2	79	S291 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 09:52
S29 3	8	form\$1 near3 field\$1 near3 url\$1 near3 (file\$1 or list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:00
S29 4	2	form\$1 near3 field\$1 near3 url\$1 near3 (file\$1 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:01
S29 5	3	form\$1 near5 field\$1 near5 url\$1 near5 (file\$1 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:03
S29 6	4	(form\$1 near5 field\$1) with url\$1 with (file\$1 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:04
S29 7	6	(form\$1 with field\$1) with url\$1 with (file\$1 near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:06
S29 8	6	(form\$1 with field\$1) with url\$1 with (file\$1 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:07
S29 9	34	(form\$1 with field\$1) same url\$1 same (file\$1 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:07
S30 0	23	(form\$1 near3 field\$1) same url\$1 same (file\$1 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:15

S30 1	2573	input with (form\$1 near3 field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:16
S30 2	21	input with (form\$1 near3 field\$1) with url\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:21
S30 3	3	overlay\$3 with (form\$1 near3 field\$1) with url\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 10:22
S30 4	24	overlay\$3 with (form\$1 near3 field\$1) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:39
S30 5	280743	form\$1 near3 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:40
S30 6	196677	form\$1 near2 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:40
S30 7	1174	S306 and ((overrid\$3 or swap\$4 or exchang\$3 or replac\$3) near3 content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:41
S30 8	112	S307 and profil\$3 and templat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:42
S30 9	111	S307 and profil\$3 and templat\$3 and (remote or online or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:43
S31 0	111	S309 and (placehold\$3 or field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:43

S31 1	13	S309 and (placehold\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:44
S31 2	122	((web or html) near3 edit\$3) same (online or on-line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:50
S31 3	30	S312 and profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:49
S31 4	12	S313 and resume\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:49
S31 5	9	S313 and resume\$1 and URL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:50
S31 6	2	S313 and resume\$1 and multimedia\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:50
S31 7	20	S312 and resume\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:51
S31 8	12	S312 and resume\$1 and profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:52
S31 9	12092	(profil\$3 or templat\$3 or model\$1) and (custom\$5) and (pars\$3) and (document\$1 or page\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:54
S32 0	8252	S319 and dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:54

S32 1	6	S319 and dynamic\$4 and xmlc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:55
S32 2	9	xmlc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:56
S32 3	3323	templat\$3 and profile\$1 and layout\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:56
S32 4	289	templat\$3 and profile\$1 and layout\$1 and (stylesheet\$3 or (style adj sheet\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:58
S32 5	282	templat\$3 and profile\$1 and layout\$1 and (stylesheet\$3 or (style adj sheet\$3)) and (field\$1 or placeholder\$1 or blank\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:03
S32 6	3437	tag\$4 near defin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:04
S32 7	2	("6727925").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:05
S32 8	1	S327 and (table\$1 or list\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:07
S32 9	0	S327 and (table\$1 or list\$1) and url\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:07
S33 0	0	S327 and (table\$1 or list\$1) and ftp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:07

			_			
S33 1	1	S327 and (table\$1 or list\$1) and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:10
S33 2	1326	dhtml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:10
S33 3	254	dhtml same form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:10
S33 4	13	dhtml same form\$1 same (profile\$1 or template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:14
S33 5	180006	form\$1 same (profile\$1 or template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:14
S33 6	97744	form\$1 with (profile\$1 or template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2005/12/07 12:14
S33 7	444	((web or html) near form\$1) with (profile\$1 or template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:16
S33 8	444	S337 and 2ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:16
S33 9	317	S337 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:30
S34 0	22016	(form\$1 with field\$1 with (value\$1 or input\$1 or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:28

S34 1	11787	((form\$1 near5 field\$1) with (value\$1 or input\$1 or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:28
S34 2	1147	((form\$1 near5 field\$1) with ((value\$1 or input\$1 or data) with (list\$1 or file\$1 or table\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:29
S34 3	66	((((web or html) near5 form\$1) near5 field\$1) with ((value\$1 or input\$1 or data) with (list\$1 or file\$1 or table\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:29
S34 4	40	S343 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:30
S34 5	11	("4595980" "5666502" "5794259" "6088700" "6182099" "6192380" "6208339" "6421693").PN. OR ("6651217"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/07 12:39
S34 6	296347	form\$1 near3 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:25
S34 7	1157	S346 and (field\$1 and predetermin\$3 and overla\$4 and server\$1 and client\$1 and (web or html))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:25
S34 8	655	S347 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:30
S34 9	82	S348 and ((form\$1 or field\$1) near (fill\$3 or populat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:28
S35 0	2	S348 and ((web or html) near (form\$1 or field\$1) near (fill\$3 or populat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:29

Page 39

S35 1	24833	(form\$1 or field\$1) with (fill\$3 or populat\$3 or insert\$3) with (value\$1 or data\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:30
S35 2	17259	S351 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:30
S35 3	304	(form\$1 or field\$1) with (pre adj (fill\$3 or populat\$3 or insert\$3)) with (value\$1 or data\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:30
S35 4	157	S353 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:06
S35 5	33	S354 and ((imag\$3 or bitmap\$1 or graphic\$1 or audio\$1 or video\$1 or multimedia\$1) with (field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 09:41
S35 6	15	S354 and ((imag\$3 or bitmap\$1 or graphic\$1 or audio\$1 or video\$1 or multimedia\$1) with (form\$1 with field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:04
S35 7	4	S356 and (form\$1 with field\$1 with data\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:05
S35 8	0	S356 and ((form\$1 with field\$1 with data\$1) with (URL\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:06
S35 9	111	((form\$1 with field\$1 with data\$1) with (URL\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:06
S36 0	114	((form\$1 with field\$1 with data\$1) with (URL\$1 or URI\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:06

S36 1	73	S360 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:07
S36 2	35	S361 and (external\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:08
S36 3	8	S361 and (external\$2 with (file\$1 or referenc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 10:08
S36 4	38	(US-20040078756-\$ or US-20040205533-\$ or US-20020023108-\$ or US-20020111961-\$ or US-20020103826-\$ or US-20030023641-\$ or US-20010050681-\$ or US-20050216356-\$ or US-20050216356-\$ or US-20050216356-\$ or US-20040030991-\$ or US-20040068693-\$ or US-20020156846-\$ or US-20020120714-\$ or US-20040205357-\$).did. or (US-6507865-\$ or US-5784562-\$ or US-6775670-\$ or US-5784562-\$ or US-6732331-\$ or US-6662340-\$ or US-6651217-\$ or US-6682340-\$ or US-6651217-\$ or US-6886136-\$ or US-6490601-\$ or US-6886136-\$ or US-6473892-\$ or US-6247029-\$ or US-6760748-\$ or US-686303-\$ or US-6760748-\$ or US-6858662-\$ or US-679965-\$ or US-6658662-\$ or US-5761683-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:17
S36 5	38	S364 and form\$1	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:18
S36 6	12	S364 and (determin\$3 or identify\$3 or recogniz\$3) with (URL\$1 or URI\$1 or (universal adj resource\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:27
S36 7	7	S366 and ((URL\$1 or URI\$1 or pointer\$1 or reference\$1) with (histor\$3 or bookmark\$1 or list\$3))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:24

		LAST Search	,,			
S36 8	7	S366 and ((URL\$1 or URI\$1 or pointer\$1 or reference\$1) with (histor\$3 or bookmark\$1 or list\$3)) and form\$1	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:26
S36 9	30	S364 and (form\$1 with (field\$1 or receptacle\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:38
S37 0	11	S369 and ((URL\$1 or URI\$1 or pointer\$1 or reference\$1) with (histor\$3 or bookmark\$1 or list\$3)) and form\$1	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:26
S37 1	5	S370 and (determin\$3 or identify\$3 or recogniz\$3) with (URL\$1 or URI\$1 or (universal adj resource\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:38
S37 2	2	S364 and (form\$1 with (field\$1 or receptacle\$1 or slot\$1) with ((recogniz\$3 or identify\$3) with content\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:33
S37 3	8	((form\$1 with (field\$1 or receptacle\$1 or slot\$1)) with ((recogniz\$3 or identify\$3) with content\$1) with (URL\$1 or URI\$1 or file\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:35
S37 4	73	((form\$1 with (field\$1 or receptacle\$1 or slot\$1)) with ((recogniz\$3 or identify\$3) with content\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:35
S37 5	5	S374 and (determin\$3 or identify\$3 or recogniz\$3) with (URL\$1 or URI\$1 or (universal adj resource\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:38
S37 6	332409	(form\$1 with (field\$1 or receptacle\$1 or input\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:39
S37 7	130122	(form\$1 near3 (field\$1 or receptacle\$1 or input\$1))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:39
S37 8	73	(form\$1 near3 (field\$1 or receptacle\$1 or input\$1)) with ((URL\$1 or URI\$1 or file\$1) with (list\$1 or profil\$3))	US-PGPUB; USPAT	OR	OFF	2006/05/16 08:40
S37 9	52	S378 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:54
S38 0	18	S379 and ((populat\$3 or fill\$3) with form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:47

Page 42

S38 1	14	S380 and external\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:47
S38 2	5	S380 and (external\$2 with (file\$1 or list\$1 or profile\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:52
S38 3	88	S377 and ((recogniz\$3 or identify\$3) with (external with (file\$1 or profile\$1 or link\$1 or hyperlink\$1 or URL\$1 or URI\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:53
S38 4	63	S383 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:58
S38 5	1	(US-6490601-\$).did.	USPAT	OR	OFF	2006/05/16 08:58
S38 6	1	S385 and profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 09:35
S38 7	0	S385 and (profil\$3 with (URL\$1 or link\$1 or hyperlink\$1 or external\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:59
S38 8	2	("5586198").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 09:40
S38 9	2	("5586242").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 09:36
S39 0	2	("6490601").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:27

			-	I		
S39 1	30297	"information processor".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:28
S39 2	891	"information processor".ti. and ricoh.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:28
S39 3	1	S392 and typeface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:30
S39 4	2	("4670842").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 11:30
S39 5	968485	(form\$1 with (field\$1 or slot\$1 or input\$1 or space\$1 or blank\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:42
S39 6	772422	S395 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:46
S39 7	4420	(form\$1 near (field\$1 or slot\$1 or input\$1 or space\$1 or blank\$1)) with (fill\$3 or populat\$3 or "filling in" or "filled in")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:43
S39 8	369	S397 and ((form\$1 near (field\$1 or slot\$1 or input\$1 or space\$1 or blank\$1)) with (type\$1 or style\$1 or format\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:46
S39 9	409	S397 and ((form\$1 near (field\$1 or slot\$1 or input\$1 or space\$1 or blank\$1 or data\$1)) with (type\$1 or style\$1 or format\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:46
S40 0	262	S399 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:08

S40 1	16	S400 and ((recogniz\$3 or identify\$3 or locat\$3) with ((external\$2 or URL\$1 or URI\$1) with (file\$1 or data\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:06
S40 2	24678	((recogniz\$3 or identify\$3 or locat\$3) near (URL\$1 or (web adj address\$3) or (uni\$5 adj resource adj locat\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S40 3	14858	S402 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S40 4	1033	S403 and ((web or html) adj form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S40 5	590	S404 and (fill\$3 or (fill\$3 adj (in or out)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S40 6	26070	((recogniz\$3 or identify\$3 or locat\$3) near (URL\$1 or (web adj address\$3) or (uni\$6 adj resource adj locat\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S40 7	15698	S406 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
\$40 8	1089	S407 and ((web or html) adj form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:12
S40 9	623	S408 and (fill\$3 or (fill\$3 adj (in or out)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S41 0	295807	((form\$1 or field\$1 or slot\$1) with fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:06

S41 1	224229	S410 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:07
S41 2	6669	S411 and (automatic\$4 with fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:09
S41 3	25196	("715").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:09
S41 4	200	S412 and S413	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:09
S41 5	191	S414 and (database\$1 or file\$1 or profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 08:10
S41 6	77	S412 and ((recogniz\$3 or identify\$3 or pars\$3) with (URL\$1 or URI\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:41
S41 7	2	("6460042").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:47
S41 8	2	("6662340").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 09:59
S41 9	10	US-5790785-\$.DID. OR US-6199079-\$.DID. OR US-6496855-\$.DID. OR US-6327707-\$.DID. OR US-6151707-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:04
\$42 0	123	(url\$1 near3 (form\$1 near3 field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:05

S42 1	75	S420 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:27
S42 2	4077	(replac\$3 or substitut\$3) with (field\$1 or data\$1) with content\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:27
S42 3	2993	S422 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:40
S42 4	23	S423 and ((replac\$3 or substitut\$3) with (URL\$1) with content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:39
S42 5	269	(profile\$1 near3 URL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:39
S42 6	166	S425 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:40
S42 7	147	S426 and form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:41
S42 8	49	S426 and (form\$1 with (field\$1 or fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:13
S42 9	62585	kodak.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:22
S43 0	210	kodak.as. and (upload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:22

S43 1	155	S430 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:32
S43 2	19	S431 and profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:25
S43 3	0	S431 and profil\$3 and (form\$1 with fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:25
S43 4	27	S431 and (form\$1 with fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:28
S43 5	0	S431 and (form\$1 with fill\$3) and (log adj (in\$1 or on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:28
S43 6	18	S431 and ((form\$1 with fill\$3) and ((log adj (in\$1 or on)) or regist\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:30
S43 7	18	S431 and ((form\$1 with fill\$3) and ((log adj (in\$1 or on)) or regist\$7)) and (web or html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:31
S43 8	1072	((form\$1 with fill\$3) and ((log adj (in\$1 or on)) or regist\$7)) and (web or html) and (upload\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:31
S43 9	586	S438 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:42
S44 0	32	S439 and (upload\$3 with URL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:42

S44 1	11305	(post\$3 with content\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:42
S44 2	7686	S441 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:55
S44 3	204	S442 and (form\$1 with (fill\$3 adj (in or out)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:54
S44 4	101	(form\$1 with field\$1 with (value\$1 or content\$1)) with URL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:55
S44 5	64	S444 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:55
S44 6	17696	(content\$1) near (URL\$1 or URI\$1 or reference\$1 or hyperlink\$3 or link\$1 or pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:16
S44 7	387	form\$1 with ((content\$1) near (URL\$1 or URI\$1 or reference\$1 or hyperlink\$3 or link\$1 or pointer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:16
S44 8	2	(form\$1 adj3 field\$1) with ((content\$1) near (URL\$1 or URI\$1 or reference\$1 or hyperlink\$3 or link\$1 or pointer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:19
S44 9	9	(form\$1 adj3 field\$1) with ((content\$1) near3 (URL\$1 or URI\$1 or reference\$1 or hyperlink\$3 or link\$1 or pointer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:33
S45 0	23	(referenc\$3 with (external\$2 with (file\$1 or data\$1 or content\$1))) with (form\$1) with (URL\$1 or href\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 12:36

			-			
S45 1	23	(referenc\$3 with (external\$2 with (file\$1 or data\$1 or content\$1))) with (form\$1) with (URL\$1 or href\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 14:56
S45 2	3703	(replac\$3 or substitut\$3) with (URL\$1 or href\$1 or hyperlink\$3 or link\$3) with (content\$1 or data\$1 or imag\$3 or audio\$1 or video\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 14:57
S45 4	891	S452 and (form\$1 with (field\$1 or value\$1 or input\$1 or blank\$1 or fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:03
S45 5	638	S454 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:48
S45 6	89	S452 and (((html or web) with form\$1) with (field\$1 or value\$1 or input\$1 or blank\$1 or fill\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:42
S45 7	2	S456 and ((pre adj (populat\$3 or fill\$3 or insert\$3)) with (form\$1 or field\$1 or blank\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:46
S45 8	3	S455 and ((pre adj (populat\$3 or fill\$3 or insert\$3)) with (form\$1 or field\$1 or blank\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:48
S45 9	1847	((pre adj (populat\$3 or fill\$3 or insert\$3)) with (form\$1 or field\$1 or blank\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:48
S46 0	1003	S459 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:51
S46 1	50	(url\$1 near (form\$1 adj4 field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:51

				r	1	
S46 2	33	S461 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:22
S46 3	2	("6851087").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:22
S46 4	9	("5745360" "5884309" "5898838" "5940075" "5953731" "5973696" "6199079" "6202072" "6457009").PN. OR ("6851087"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 16:23
S46 5	78	(portal\$1 near profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:15
S46 6	49	S465 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:17
S46 7	77	(URL\$1 near profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:17
S46 8	52	S467 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:49
S46 9	20	(US-20040205357-\$ or US-20040078756-\$ or US-20040205533-\$ or US-20030023641-\$ or US-20050216356-\$ or US-20050183003-\$ or US-20040030991-\$).did. or (US-5761683-\$ or US-6192382-\$ or US-6460042-\$ or US-5404294-\$ or US-6247047-\$ or US-662340-\$ or US-6507865-\$ or US-6473892-\$ or US-6658662-\$ or US-6484263-\$ or US-7035907-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/05/26 08:28

S47 0	3456	(electronic\$4 near (newspaper\$1 or publication\$1 or magazine\$1 or portal\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 08:49
S47 1	2521	S470 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:19
S47 2	2	("6460042").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:13
S47 3	1	S472 and import\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:14
S47 4	0	S472 and (external)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:14
S47 5	1	S472 and (URL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:15
S47 6	1065	(profile\$1 or template\$1) with (contain\$3) with (URL\$1 or (external\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:16
S47 7	0	(form\$1 near field\$1 near value\$1) near URL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:17
S47 8	1	(form\$1 near value\$1) near URL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:17
S47 9	704	S476 and @ad<="20020709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:37

S48 0	3933	pre-fetch\$3 or (pre adj fetch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:38
S48 1	102	(pre-fetch\$3 or (pre adj fetch\$3)) with form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:38
S48 2	3129	(execut\$3 with URL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 09:39
S48 3	2	S481 and S482	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:01
S48 4	2446	(dynamic\$4 or variable) with (html or web) with (form\$1 or field\$1 or input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:03
S48 5	405	S484 and (form\$1 with fill\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:04